

---

**ELECTROMAGNETIC  
WAVES**                      **PIER 122**

---

**Progress**

**In**

**Electromagnetics**

**Research**

© 2012 EMW Publishing. All rights reserved.

No part of this publication may be reproduced. Request for permission should be addressed to the Publisher.

All inquiries regarding copyrighted material from this publication, manuscript submission instructions, and subscription orders and price information should be directed to: EMW Publishing, P. O. Box 425517, Kendall Square, Cambridge, Massachusetts 02142, USA.

ISSN 1070-4698

E-ISSN 1559-8985

---

**ELECTROMAGNETIC  
WAVES** **PIER 122**

---

**Progress**

**In**

**Electromagnetics**

**Research**

**Chief Editor: Weng Cho Chew**

EMW Publishing

Cambridge, Massachusetts, USA



CONTENTS

**EXPERIMENTAL AND THEORETICAL STUDIES OF A BROADBAND SUPERLUMINALITY IN FABRY-PEROT INTERFEROMETER**

*H. Y. Yao and T. H. Chang*

1	Introduction . . . . .	1
2	Theoretical Model for Superluminality in a Fabry-Perot-like Interferometer . . . . .	2
3	Experimental Setup . . . . .	6
4	Results and Discussions . . . . .	6
5	Conclusion . . . . .	10

**A PCB NOISE ANALYSIS REGARDING EMP PENETRATION USING AN ELECTROMAGNETIC TOPOLOGY METHOD**

*S. M. Han, J. J. Bang, C. S. Huh, and J. S. Choi*

1	Introduction . . . . .	15
2	The Numerical Calculation Setup . . . . .	17
3	The Numerical Calculation Results . . . . .	22
4	Conclusion . . . . .	24

**THREE-DIMENSIONAL MAGNETIC INDUCTION TOMOGRAPHY IMAGING USING A MATRIX FREE KRYLOV SUBSPACE INVERSION ALGORITHM**

*H. Y. Wei and M. Soleimani*

1	Introduction . . . . .	30
2	Forward Problem . . . . .	31
3	Inverse Problem . . . . .	33
4	Experimental Setup . . . . .	37
5	Results . . . . .	38
6	Discussion and Conclusion . . . . .	43

**AN ANN-BASED SMALL-SIGNAL EQUIVALENT  
CIRCUIT MODEL FOR MOSFET DEVICE**

*N. Li, X. Li, and S. Quan*

1	Introduction . . . . .	47
2	ANN Modeling Technique Introduction . . . . .	48
3	Proposed Model and Modeling Method . . . . .	50
4	Experiment Results and Discussion . . . . .	54
5	Conclusion . . . . .	58

**DUAL CIRCULAR POLARIZED STEERING ANTENNA  
FOR SATELLITE COMMUNICATIONS IN X BAND**

*G. Expósito-Domínguez, J. M. Fernández-González, P. Padilla  
and M. Sierra-Castañer*

1	Introduction . . . . .	61
2	Design and Simulations . . . . .	63
3	Construction and Measurements . . . . .	66
4	Conclusions . . . . .	73

**COMPACT HYBRID COAXIAL ARCHITECTURE FOR  
3–10 GHz UWB QUASI-OPTICAL POWER COMBINERS**

*I. Russo, L. Boccia, G. Amendola, and H. Schumacher*

1	Introduction . . . . .	77
2	UWB Tray-type QO Power Combiner Architecture . . . . .	80
3	Design Procedure . . . . .	81
4	Experimental Performances of the Passive Combiner . . . . .	86
5	Study of the Integration with Solid-state Devices . . . . .	89
6	Conclusions . . . . .	90

**MATRIX STRUCTURE OF METAMATERIAL ABSORB-  
ERS FOR MULTISPECTRAL TERAHERTZ IMAGING**

*S. A. Kuznetsov, A. G. Paulish, A. V. Gelfand, P. A. Lazorskiy  
and V. N. Fedorinin*

1	Introduction . . . . .	93
2	Multispectral Terahertz-to-Infrared Converter . . . . .	94
3	Experimental Setup . . . . .	98
4	Experimental Results . . . . .	99
5	Conclusion . . . . .	100

**A HYBRID METHOD BASED ON DIFFERENTIAL EVOLUTION AND CONTINUOUS ANT COLONY OPTIMIZATION AND ITS APPLICATION ON WIDEBAND ANTENNA DESIGN**

*L. Chang, C. Liao, W. B. Lin, L.-L. Chen, and X. Zheng*

1	Introduction . . . . .	105
2	The Hybrid Algorithm Based on Des and CACO . . . . .	106
3	Numerical Results . . . . .	110
4	Conclusion . . . . .	115

**A FAST INVERSE POLYNOMIAL RECONSTRUCTION METHOD BASED ON CONFORMAL FOURIER TRANSFORMATION**

*Z. Liu, Q. H. Liu, C. H. Zhu, and J. Y. Yang*

1	Introduction . . . . .	120
2	The Fast IPRM Method. . . . .	121
3	Numerical Results . . . . .	127
4	Conclusion . . . . .	133

**MAPPING THE SBR AND TW-ILDCs TO HETEROGENEOUS CPU-GPU ARCHITECTURE FOR FAST COMPUTATION OF ELECTROMAGNETIC SCATTERING**

*P. C. Gao, Y. B. Tao, Z. H. Bai, and H. Lin*

1	Introduction . . . . .	137
2	Mapping the SBR and TW-ILDCs on Heterogeneous CPU-GPU Architecture. . . . .	139
3	Numerical Results . . . . .	145
4	Conclusion . . . . .	151

**A NOVEL NON-INTERPOLATION POLAR FORMAT ALGORITHM USING NON-LINEAL FLIGHT TRAJECTORIES AND AUTO-ADAPTIVE PRF TECHNIQUE**

*Y. Wang, J. W. Li, J. Chen, H. P. Xu, and B. Sun*

1	Introduction . . . . .	155
2	Traditional PFA Algorithm for Spotlight Sar . . . . .	157
3	Fast PFA Algorithm with Nonlinear Motion . . . . .	159
4	Auto-adaptive PRF Technique . . . . .	163
5	Simulation and Analysis . . . . .	165
6	Conclusion . . . . .	169

Appendix A. Derivation of Flight Path Shape in Squint Mode in  
 Ellipse Trajectory Mode ..... 170

Appendix B. Comparison of Computation Load of Traditional  
 PFA and This Trajectory-based PFA ..... 171

**REDUCTION OF NUMERICAL DISPERSION OF THE  
 SIX-STAGES SPLIT-STEP UNCONDITIONALLY-STABLE  
 FDTD METHOD WITH CONTROLLING PARAMETERS**

*Y.-D. Kong and Q.-X. Chu*

1 Introduction ..... 175

2 Formulation of the E-Scsn6-FDTD Method ..... 177

3 Numerical Stability Analysis ..... 181

4 Numerical Dispersion Analysis ..... 183

5 Controlling Parameters and Discussions on Numerical  
 Dispersion Performances ..... 184

6 Numerical Results ..... 190

7 Conclusion ..... 191

**EXTRACTION OF INTERNAL SPATIAL FEATURES OF  
 INHOMOGENEOUS DIELECTRIC OBJECTS USING  
 NEAR-FIELD REFLECTION DATA**

*D. Kurrant and E. Fear*

1 Introduction ..... 197

2 Methods ..... 199

3 Initial Performance Evaluation ..... 204

4 Application of Algorithm to 2D Numerical Breast Models ... 213

5 Conclusion ..... 218

**NUMERICAL AND EXPERIMENTAL ANALYSIS OF  
 EMI-INDUCED NOISE IN RC PHASE SHIFT  
 OSCILLATOR**

*H.-C. Tsai*

1 Introduction ..... 223

2 Experiments ..... 225

3 Theoretical Analysis ..... 226

4 Results and Discussion ..... 237

5 Conclusion ..... 242



**A NEW UNMANNED AERIAL VEHICLE SYNTHETIC APERTURE RADAR FOR ENVIRONMENTAL MONITORING**

*V. C. Koo, Y. K. Chan, V. Gobi, M. Y. Chua, C. H. Lim, C. S. Lim, C. C. Thum, T. S. Lim, Z. Ahmad, K. A. Mahmood, M. H. Shahid, C. Y. Ang, W. Q. Tan, P. N. Tan, K. S. Yee, W. G. Cheaw, H. S. Boey, A. L. Choo, and B. C. Sew*

1	Introduction . . . . .	245
2	Design Considerations . . . . .	249
3	System Implementation . . . . .	253
4	Preliminary Results . . . . .	262
5	Conclusions . . . . .	265

**A CIRCULAR SYNTHETIC APERTURE RADAR FOR ON-THE-GROUND OBJECT DETECTION**

*M. Mohammadpoor, R. S. A. Raja Abdullah, A. Ismail and A. F Abas*

1	Introduction . . . . .	270
2	LFM C-SAR System . . . . .	271
3	LFM Circular-SAR Experimentation . . . . .	274
4	Multiple Objects and Resolutions . . . . .	286
5	Conclusion . . . . .	289

**ELECTRICALLY TUNABLE FABRY-PÉROT RESONATOR BASED ON MICROSTRUCTURED SI CONTAINING LIQUID CRYSTAL**

*V. A. Tolmachev, V. A. Melnikov, A. V. Baldycheva, K. Berwick and T. S. Perova*

1	Introduction . . . . .	293
2	Calculations . . . . .	295
3	Experiment . . . . .	297
4	Results Analysis . . . . .	305
5	Conclusion . . . . .	306

**ANALYSIS OF TOPOLOGICAL DERIVATIVE FUNCTION FOR A FAST ELECTROMAGNETIC IMAGING OF PERFECTLY CONDUCTING CRACKS**

*Y.-K. Ma, P.-S. Kim, and W.-K. Park*

1	Introduction . . . . .	311
---	------------------------	-----

2	Direct Scattering Problem and Topological Derivative . . . . .	312
3	Analysis of Topological Derivative Based Imaging Function . .	314
4	Numerical Simulations . . . . .	317
5	Conclusion . . . . .	321
	Appendix A. Appendix: Proof of Theorem 2.1 . . . . .	322

### DESIGN AND OPTIMIZATION OF LOW RCS PATCH ANTENNAS BASED ON A GENETIC ALGORITHM

*X. Zhu, W. Shao, J.-L. Li, and Y. Dong*

1	Introduction . . . . .	327
2	GA Optimization for Low RCS Antennas . . . . .	328
3	Two Examples of Low RCS Antenna Design . . . . .	330
4	Conclusion . . . . .	336

### A 3D TARGET IMAGING ALGORITHM BASED ON TWO-PASS CIRCULAR SAR OBSERVATIONS

*L. J. Yu and Y. H. Zhang*

1	Introduction . . . . .	342
2	Two-dimensional Imaging for CSAR . . . . .	344
3	A 3D Target Reconstruction Algorithm Based on Two-pass CSAR Observations . . . . .	348
4	Simulation Results . . . . .	353
5	Conclusion . . . . .	357

### A MIXING VECTOR BASED AN AFFINE COMBINATION OF TWO ADAPTIVE FILTERS FOR SENSOR ARRAY BEAMFORMING

*S. T. Lu, J. P. Sun, G. H. Wang, and Y. L. Lu*

1	Introduction . . . . .	362
2	Problem Formulation . . . . .	363
3	Proposed Combination Approach for Beamforming Using a Vector $\eta$ . . . . .	366
4	Optimal Adaptive Combination Weights for Beamforming . . .	366
5	Proposed Iterative Adaptive Combination Approaches Using $\eta$ -LMS and $\eta$ -RLS . . . . .	368
6	Tracking Performances Analysis of the Proposed Iterative Combination Algorithms . . . . .	373
7	SINRs of the Proposed Iterative Combination Algorithms for Beamforming . . . . .	374

8	Complexity Analysis of the Proposed Iterative Combination Algorithms for Beamforming .....	375
9	Simulation Results .....	377
10	Conclusion .....	383

**OPTIMIZED LOCAL SUPERPOSITION IN WIRELESS SENSOR NETWORKS WITH T-AVERAGE-MUTUAL-COHERENCE**

*D. Guo, X. Qu, L. Huang, and Y. Yao*

1	Introduction .....	389
2	Background of CS .....	390
3	Proposed Methods .....	392
4	Simulation Results .....	404
5	Conclusion .....	408

**TARGET DETECTION IN PULSE-TRAIN MIMO RADARS APPLYING ICA ALGORITHMS**

*M. Hatam, A. Sheikhi, and M. A. Masnadi-Shirazi*

1	Introduction .....	413
2	Problem Formulation .....	416
3	GLR Detector .....	419
4	ICA-based Detector .....	419
5	Signal Design .....	424
6	Analysis of Computational Load .....	425
7	Simulation Results .....	427
8	Conclusion .....	429
	Appendix A. Derivation of GLR Detector .....	429
	Appendix B. Derivation of ICA-based Detector .....	431
	Appendix C. Wiener Filter .....	431

**ELECTROMAGNETIC OPTIMAL DESIGN FOR DUAL-BAND RADOME WALL WITH ALTERNATING LAYERS OF STAGGERED COMPOSITE AND KAGOME LATTICE STRUCTURE**

*Y. Pei, A. Zeng, L. C. Zhou, R. B. Zhang, and K. X. Xu*

1	Introduction .....	437
2	Novel Construction and Methods .....	440
3	Results and Discussion .....	444
4	Conclusion .....	449

**A COMPACT MULTILAYER DUAL-MODE SUBSTRATE INTEGRATED CIRCULAR CAVITY (SICC) FILTER FOR X-BAND APPLICATION**

*Z.-G. Zhang, Y. Fan, Y.-J. Cheng, and Y.-H. Zhang*

1	Introduction . . . . .	453
2	Filter Analysis and Design . . . . .	455
3	Experiment Results . . . . .	462
4	Conclusion . . . . .	463

**AXIAL-FLUX PERMANENT-MAGNET MOTOR DESIGN FOR ELECTRIC VEHICLE DIRECT DRIVE USING SIZING EQUATION AND FINITE ELEMENT ANALYSIS**

*A. Mahmoudi, N. Rahim, and H. W. Ping*

1	Introduction . . . . .	467
2	Vehicle Dynamic, Design Restrictions and Requirements . . .	469
3	The Axial-flux Permanent-magnet Motor Design Parameters	471
4	Simulation Results and Discussion . . . . .	476
5	Conclusion . . . . .	487
	Appendix A. Winding Configurations . . . . .	487
	Appendix B. Nomenclature . . . . .	490

**IMPROVING THE RELIABILITY OF FREQUENCY DOMAIN SIMULATORS IN THE PRESENCE OF HOMOGENEOUS METAMATERIALS — A PRELIMINARY NUMERICAL ASSESSMENT**

*G. Oliveri*

1	Introduction and Rationale . . . . .	497
2	Mathematical Formulation and Previous Results on <i>FE</i> and <i>FDFD</i> Modeling of <i>MTMs</i> . . . . .	499
3	An Explanation for the <i>FDFD</i> Accuracy with Homogeneous <i>MTMs</i> . . . . .	501
4	The Proposed <i>MTM</i> Modeling Guidelines . . . . .	505
5	Preliminary Numerical Results . . . . .	507
6	Conclusions and Remarks . . . . .	514

**SUSPENDED SUBSTRATE STRIPLINE BANDPASS  
FILTERS WITH SOURCE-LOAD COUPLING STRU-  
CTURE USING LUMPED AND FULL-WAVE MIXED  
APPROACH**

*M.-H. Ho and P.-F. Chen*

1	Introduction . . . . .	519
2	Design of BPF A . . . . .	523
3	Design of BPF B . . . . .	529
4	Conclusions . . . . .	533

**POINT-POINT FIXED WIRELESS AND BROADCA-  
STING SERVICES COEXISTENCE WITH IMT-  
ADVANCED SYSTEM**

*Z. A. Shamsan, T. A. Rahman, and A. M. Al-hetar*

1	Introduction . . . . .	538
2	Coexistence Methodology . . . . .	539
3	Coexistence Assumptions . . . . .	544
4	Results and Discussion . . . . .	545
5	Conclusion . . . . .	553

**A TIME-DOMAIN APPROACH TO THE SYNTHESIS  
OF UWB ANTENNA SYSTEMS**

*L. Lizzi, G. Oliveri, and A. Massa*

1	Introduction . . . . .	557
2	Time Domain Analysis . . . . .	559
3	UWB Antenna Synthesis . . . . .	561
4	Numerical and Experimental Validation . . . . .	563
5	Conclusions . . . . .	572