

---

**ELECTROMAGNETIC  
WAVES** **PIER 123**

---

**Progress**

**In**

**Electromagnetics**

**Research**

© 2012 EMW Publishing. All rights reserved.

No part of this publication may be reproduced. Request for permission should be addressed to the Publisher.

All inquiries regarding copyrighted material from this publication, manuscript submission instructions, and subscription orders and price information should be directed to: EMW Publishing, P. O. Box 425517, Kendall Square, Cambridge, Massachusetts 02142, USA.

ISSN 1070-4698

E-ISSN 1559-8985

---

# ELECTROMAGNETIC WAVES                      PIER 123

---

Progress

In

Electromagnetics  
Research

Chief Editor: Weng Cho Chew

EMW Publishing  
Cambridge, Massachusetts, USA



## CONTENTS

**METHODS AND DESIGNS FOR IMPROVING THE SIGNAL INTEGRITY OF VERTICAL INTERCONNECTS IN HIGH PERFORMANCE PACKAGING***B. Wu and H. L. Lo*

1	Introduction . . . . .	1
2	Voiding for Optimal Performance . . . . .	2
3	Padless PTH Via . . . . .	5
4	Micro-via Stacking Scheme . . . . .	6
5	PTH Signal/Ground Layout Pattern . . . . .	8
6	Conclusion . . . . .	10

**GENERALIZED EQUIVALENT CABLE BUNDLE METHOD FOR MODELING EMC ISSUES OF COMPLEX CABLE BUNDLE TERMINATED IN ARBITRARY LOADS***Z. Li, L. L. Liu, and C. Q. Gu*

1	Introduction . . . . .	13
2	Presentation of the GECBM for EMC Issues of Complex Cable Bundle . . . . .	15
3	Validations of the GECBM for EMC Issues through Numerical Simulations . . . . .	19
4	Conclusions . . . . .	27

**DESIGN OF A V-BAND HIGH-POWER SHEET-BEAM COUPLED-CAVITY TRAVELING-WAVE TUBE***Y. Liu, J. Xu, Y. Wei, X. Xu, F. Shen, M. Huang, T. Tang, W. Wang, Y. Gong, and J. Feng*

1	Introduction . . . . .	31
2	Slow-wave Structure Design . . . . .	33
3	Coupler Design . . . . .	36
4	Beam-wave Interaction Simulations . . . . .	37
5	Conclusions . . . . .	42

**A SIMPLE AND COMPACT PLANAR ULTRA WIDE-BAND ANTENNA WITH SINGLE OR DUAL BAND-NOTCHED CHARACTERISTICS**

*D. Zhou, S. Gao, F. Zhu, R. A. Abd-Alhameed, and J. D. Xu*

1	Introduction . . . . .	47
2	Design of UWB Antenna with Single Band-notched Characteristics . . . . .	49
3	Results Analysis for Single Band-notched Design . . . . .	51
4	Design and Analysis of UWB Antenna with Dual-band Notches . . . . .	56
5	Conclusion . . . . .	62

**ELECTROMAGNETIC FIELD TRANSMITTED BY DIELECTRIC PLANO CONVEX LENS PLACED IN CHIRAL MEDIUM**

*A. Ghaffar, M. Y. Naz, and Q. A. Naqvi*

1	Introduction . . . . .	67
2	Geometrical Optics Approximation and Maslov’s Method in Dielectric Medium . . . . .	68
3	GO field of Plano Convex Lens Placed in Chiral Medium . . . . .	69
4	Transmission Coefficients at Chiral-dielectric Interface . . . . .	71
5	Transmission Coefficients at Dielectric-chiral Interface . . . . .	71
6	Results and Discussion . . . . .	77
7	Conclusion . . . . .	79

**TM-TE DECOMPOSITION OF POWER LOSSES IN MULTI-STRANDED LITZ-WIRES USED IN ELECTRONIC DEVICES**

*C. Carretero, J. Acero, and R. Alonso*

1	Introduction . . . . .	84
2	Loss Modeling in Cylindrical Strands . . . . .	85
3	Analytical Expressions of Power Losses . . . . .	88
4	Low- and High-frequency Analysis . . . . .	92
5	Experimental Verification . . . . .	94
6	Conclusion . . . . .	98

**IMPROVEMENT OF RCS PREDICTION USING MODIFIED ANGULAR DIVISION ALGORITHM**

*H.-G. Park, K.-K. Park, H.-T. Kim, and K.-T. Kim*

1	Introduction . . . . .	105
2	Drawback of the Conventional ADA . . . . .	107
3	Modified ADA . . . . .	109
4	Results . . . . .	114
5	Conclusion . . . . .	118

**NONDESTRUCTIVE COMPLEX PERMITTIVITY AND PERMEABILITY EXTRACTION USING A TWO-LAYER DUAL-WAVEGUIDE PROBE MEASUREMENT GEOMETRY**

*M. D. Seal, M. W. Hyde, and M. J. Havrilla*

1	Introduction . . . . .	124
2	Methodology . . . . .	126
3	Experimental Verification . . . . .	129
4	Conclusion . . . . .	138

**STUDY OF AN EXTREMELY WIDEBAND MONO-POLE ANTENNA WITH TRIPLE BAND-NOTCHED CHARACTERISTICS**

*J. Liu, K. P. Esselle, S. G. Hay, and S. S. Zhong*

1	Introduction . . . . .	144
2	Base Antenna Design . . . . .	146
3	Creating Triple Notched Bands . . . . .	150
4	Conclusion . . . . .	155

**DESIGN AND OPTIMIZATION OF A LOGO-TYPE ANTENNA FOR MULTIBAND APPLICATIONS**

*W.-C. Weng and C.-L. Hung*

1	Introduction . . . . .	159
2	Antenna Design by Optimization Approaches . . . . .	161
3	Results and Discussions . . . . .	166
4	Parametric Study . . . . .	169
5	Conclusion . . . . .	172

**A CLASS OF POLARIZATION-INVARIANT DIRECTIONAL CLOAKS BY CONCATENATION VIA TRANSFORMATION OPTICS**

*J. Z. Li and H. Y. Liu*

1	Introduction . . . . .	175
2	Directional Cloaking by Concatenation . . . . .	177
3	Numerical Simulations . . . . .	180
4	Discussion and Conclusion . . . . .	185

**EXPERIMENTAL COMPARISON OF REMEDIAL SINGLE-CHANNEL OPERATIONS FOR REDUNDANT FLUX-SWITCHING PERMANENT-MAGNET MOTOR DRIVE**

*W. Zhao, M. Cheng, R. Cao, and J. Ji*

1	Introduction . . . . .	189
2	R-FSPM Motor . . . . .	191
3	Control Strategies . . . . .	193
4	Simulation . . . . .	196
5	Experimental Verification . . . . .	198
6	Conclusions . . . . .	201

**A HYBRID NFM/MOM FULL-WAVE ANALYSIS OF LAYERED PROLATE HEAD MODEL EXPOSED TO HANDSET ANTENNA**

*L. Zhao and K.-L. Wu*

1	Introduction . . . . .	206
2	Theory and Method . . . . .	208
3	Numerical Results and Head Model Verification . . . . .	215
4	Conclusion . . . . .	221
	Appendix A. . . . .	222

**DEFORMABLE, TIME-VARYING BOUNDARY PROBLEMS IN ELECTRODYNAMICS**

*M. J. Mehler, C. C. Constantinou, and M. J. Neve*

1	Introduction . . . . .	227
2	Problem Formulation . . . . .	229
3	Comparison of Perturbation Method with Canonical Cylinder Solution . . . . .	235
4	Conclusion . . . . .	240



## THE FAR FIELD TRANSFORMATION FOR THE ANTENNA MODELING BASED ON SPHERICAL ELECTRIC FIELD MEASUREMENTS

*P. Li and L. Jiang*

1	Introduction . . . . .	243
2	Theory . . . . .	245
3	Numerical Results . . . . .	250
4	Conclusion . . . . .	258
	Appendix A. . . . .	259

## COMPOSITE SCATTERING OF SHIP ON SEA SURFACE WITH BREAKING WAVES

*M. Zhang, W. Luo, G. Luo, C. Wang, and H.-C. Yin*

1	Introduction . . . . .	263
2	Geometric Model . . . . .	264
3	Composite Backscattering Model . . . . .	267
4	Numerical Results . . . . .	269
5	Conclusion . . . . .	274

## ON LINEAR MAPPING OF FILTER CHARACTERISTIC TO POSITION OF TUNING ELEMENTS IN FILTER TUNING ALGORITHM

*J. J. Michalski*

1	Introduction . . . . .	279
2	Concept of Linear Map between Filter Characteristic and Deviation of Tuning Elements . . . . .	281
3	Linear Operator and Least Squares Method . . . . .	282
4	Minimization of LSM Approximation Error by Elimination of Outliers . . . . .	285
5	Karhunen-Loeve Transform over Filter Characteristic — Principal Component Analysis . . . . .	286
6	Numerical Investigations of Matrix a “Quality” . . . . .	288
7	The “Quality” of Linear Mapping with and without PCA . . . . .	291
8	Filter Tuning Experiment . . . . .	294
9	Conclusions . . . . .	295

### GRADUAL THINNING SYNTHESIS FOR LINEAR ARRAY BASED ON ITERATIVE FOURIER TECHNIQUES

*X.-K. Wang, Y.-C. Jiao, and Y.-Y. Tan*

1	Introduction . . . . .	300
2	Modified Iterative Fourier Techniques . . . . .	301
3	Numerical Results . . . . .	304
4	Conclusion . . . . .	316

### CHARACTERISTIC OF PLASMA SHEATH CHANNEL AND ITS EFFECT ON COMMUNICATION

*L. Shi, B. L. Guo, Y. M. Liu, and J. T. Li*

1	Introduction . . . . .	322
2	Plasma Sheath Channel Characteristic . . . . .	323
3	Effects on Typical TT&C Communication . . . . .	331
4	Conclusion . . . . .	333

### IMPROVED PERFORMANCE OF CIRCULARLY POLARIZED ANTENNA USING SEMI-PLANAR CHIRAL METAMATERIAL COVERS

*D. Zarifi, H. Oraizi, and M. Soleimani*

1	Introduction . . . . .	337
2	Chiral Metamaterial Structures . . . . .	338
3	Two-arm Archimedean Spiral Antenna with Twisted Crosses CMM Cover . . . . .	340
4	Two-arm Archimedean Spiral Antenna with Dendritic Fractal CMM Cover . . . . .	343
5	Helical Antenna with Twisted Crosses CMM Cover . . . . .	347
6	Conclusions . . . . .	350

### REDUCED PEEC MODELING OF WIRE-GROUND STRUCTURES USING A SELECTIVE MESH APPROACH

*Z. F. Song, F. Dai, D. L. Su, S. G. Xie, and F. Duval*

1	Introduction . . . . .	355
2	Overview of PEEC Modeling . . . . .	357
3	A Novel Selective Mesh Approach . . . . .	362
4	Numerical Results . . . . .	365
5	Conclusion . . . . .	367

## NEW DUAL-BAND BANDPASS FILTER WITH WIDE UPPER REJECTION BAND

*J.-T. Kuo and S.-W. Lai*

1	Introduction . . . . .	371
2	Circuit Structure and Analysis . . . . .	373
3	Design Graphs . . . . .	376
4	Simulation and Measurement . . . . .	380
5	Conclusion . . . . .	382

## FACET-BASED TREATMENT ON MICROWAVE BISTATIC SCATTERING OF THREE-DIMENSIONAL SEA SURFACE WITH ELECTRICALLY LARGE SHIP

*H. Chen, M. Zhang, and H.-C. Yin*

1	Introduction . . . . .	386
2	Model Description of Facet Scattering . . . . .	388
3	Phase-modified Facet Model (PMFM) . . . . .	391
4	Composite Scattering of a Ship at Sea . . . . .	396
5	Conclusion . . . . .	400

## NEW WILKINSON POWER DIVIDERS BASED ON COMPACT STEPPED-IMPEDANCE TRANSMISSION LINES AND SHUNT OPEN STUBS

*P.-H. Deng, J.-H. Guo, and W.-C. Kuo*

1	Introduction . . . . .	407
2	Comparing the Proposed Power Divider with Previous Works	409
3	Design of the Proposed Equal-split Wilkinson Power Divider	409
4	Design of the Proposed Unequal-split Wilkinson Power Divider	411
5	Implementing the Proposed Equal-split Power Dividers . . . . .	413
6	Implementing the Proposed Unequal-split Power Dividers . . .	417
7	Conclusion . . . . .	422

## A COMPREHENSIVE FACET MODEL FOR BISTATIC SAR IMAGERY OF DYNAMIC OCEAN SCENE

*Y.-W. Zhao, M. Zhang, X.-P. Geng, and P. Zhou*

1	Introduction . . . . .	427
2	Mapping Function from RCS Distribution to Image Intensity Distribution for Bis-SAR . . . . .	430
3	Scattering Mechanism of Ocean Surface for Bis-SAR . . . . .	433

4	Simulation Results .....	437
5	Conclusions .....	442

**FOURIER BASED COMBINED TECHNIQUES TO  
DESIGN NOVEL SUB-WAVELENGTH OPTICAL  
INTEGRATED DEVICES**

*L. Zavargo-Peche, A. Ortega-Moñux, J. G. Wangüemert-Pérez  
and Í. Molina-Fernández*

1	Introduction .....	447
2	Sub-wavelength Gratings .....	448
3	Modelling of Periodic Photonic Devices .....	450
4	FEXEN .....	454
5	Results .....	456
6	Conclusion .....	462

**A NOVEL ESTIMATION APPROACH OF DYNAMIC  
AND COUPLING BASELINE FOR DISTRIBUTED  
SATELLITE SAR**

*L. Feng, H. P. Xu, C. S. Li, S. Li, and H. Gao*

1	Introduction .....	467
2	Mathematic Model of Interferometric Phase for DS-SAR .....	469
3	Coupling Baseline Estimation Theory Based on Interferometric Fringe Frequency .....	471
4	Realization of DS-SAR Baseline Estimation .....	474
5	Simulation and Results .....	479
6	Conclusion .....	481

**A NOVEL IMAGING APPROACH FOR HIGH RESO-  
LUTION SQUINTED SPOTLIGHT SAR BASED ON  
THE DERAMPING-BASED TECHNIQUE AND AZI-  
MUTH NLCS PRINCIPLE**

*D.-X. An, Z.-M. Zhou, X.-T. Huang, and T. Jin*

1	Introduction .....	485
2	Problem Statement .....	487
3	Azimuth Coarse Focusing .....	491
4	Precise Focusing .....	493
5	Flowchart of the Proposed Approach .....	503
6	Simulation Experiments .....	504
7	Conclusions .....	506

**PLANAR GRATING MULTIPLEXERS USING SILICON  
NANOWIRE TECHNOLOGY: NUMERICAL SIMULA-  
TIONS AND FABRICATIONS***J. Song, Y. Li, X. Zhou, and X. Li*

1	Introduction . . . . .	509
2	Simulation Method . . . . .	511
3	Design and Fabrication . . . . .	517
4	Simulation and Discussion . . . . .	518
5	Conclusion . . . . .	523

**A DUAL-BAND DUAL-POLARIZED MICROSTRIP  
ARRAY ANTENNA FOR BASE STATIONS***K. Moradi and S. Nikmehr*

1	Introduction . . . . .	527
2	Single Element Antenna Configuration . . . . .	530
3	Simulation and Measured Results of Single Element . . . . .	530
4	Array Design . . . . .	533
5	Result and Discussion . . . . .	537
6	Conclusion . . . . .	539