

---

**ELECTROMAGNETIC  
WAVES**                      **PIER 132**

---

**Progress**

**In**

**Electromagnetics**

**Research**

© 2012 EMW Publishing. All rights reserved.

No part of this publication may be reproduced. Request for permission should be addressed to the Publisher.

All inquiries regarding copyrighted material from this publication, manuscript submission instructions, and subscription orders and price information should be directed to: EMW Publishing, P. O. Box 425517, Kendall Square, Cambridge, Massachusetts 02142, USA.

ISSN 1070-4698

E-ISSN 1559-8985

---

**ELECTROMAGNETIC  
WAVES** **PIER 132**

---

**Progress**

**In**

**Electromagnetics**

**Research**

**Chief Editor: Weng Cho Chew**

EMW Publishing

Cambridge, Massachusetts, USA



## CONTENTS

**INCREASING THE NRI BANDWIDTH OF DIELECTRIC SPHERE-BASED METAMATERIALS BY COATING***S. Yan and G. A. E. Vandenbosch*

1	Introduction . . . . .	1
2	Array of Nude Spheres . . . . .	3
3	Array of Coated Spheres . . . . .	8
4	Validation and Application . . . . .	13
5	Conclusion . . . . .	19

**A MATRIX SPLITTING DDM BASED ON SVE-BI FOR MULTIPLE CONDUCTING BODIES COATED BY THIN LAYER DIELECTRIC***L. Lei, J. Hu, and H.-Q. Hu*

1	Introduction . . . . .	25
2	The Matrix Splitting DDM for Single Conducting Body Coated by Thin Layer Dielectric . . . . .	27
3	MSDDM-SVE-BI for Multiple Conducting Bodies Coated by Thin Layer Dielectric . . . . .	34
4	Numerical Results . . . . .	36
5	Conclusions . . . . .	45

**DESIGN OF RF ENERGY HARVESTING SYSTEM FOR ENERGIZING LOW POWER DEVICES***N. M. Din, C. K. Chakrabarty, A. Bin Ismail, K. K. A. Devi and W.-Y. Chen*

1	Introduction . . . . .	50
2	RF Energy Harvesting System Design . . . . .	52
3	Methodology . . . . .	56
4	Results and Analysis . . . . .	60
5	Conclusion . . . . .	67

**EXPERIMENTAL VALIDATION OF A TDR-BASED SYSTEM FOR MEASURING LEAK DISTANCES IN BURIED METAL PIPES**

*A. Cataldo, G. Cannazza, E. De Benedetto, and N. Giaquinto*

1	Introduction . . . . .	71
2	Description of the Measurement Method . . . . .	73
3	Description of the Experimental Campaign and Discussion of the Raw Measurement Results . . . . .	76
4	Evaluation of the Position of the Leaks . . . . .	80
5	Final Experimental Results . . . . .	84
6	Conclusion . . . . .	86

**SMART PROTOTYPING TECHNIQUES FOR UHF RFID TAGS: ELECTROMAGNETIC CHARACTERIZATION AND COMPARISON WITH TRADITIONAL APPROACHES**

*L. Catarinucci, R. Colella, and L. Tarricone*

1	Introduction . . . . .	92
2	Traditional and Alternative RFID Tag Prototyping Techniques . . . . .	94
3	Design and Realization of UHF RFID Tags for the Evaluation of the Prototyping Techniques . . . . .	98
4	Experimental Setups for the Measurement of Significant Metrics of Passive UHF RFID Tags . . . . .	100
5	Validation Results . . . . .	102
6	Comments . . . . .	105
7	Conclusions . . . . .	106

**DOUBLE PERIODIC COMPOSITE RIGHT/LEFT HANDED TRANSMISSION LINE BASED LEAKY WAVE ANTENNA BY SINGULAR PERTURBATION METHOD**

*M. Mujumdar, C. Jin, and A. Alphones*

1	Introduction . . . . .	113
2	Singular Perturbation Analysis . . . . .	114
3	Numerical Results . . . . .	123
4	Realization . . . . .	125
5	Conclusion . . . . .	127

## FIRST-PRINCIPLE ANALYSIS FOR ELECTROMAGNETIC EIGEN MODES IN AN OPTICAL METAMATERIAL SLAB

*M. Iwanaga*

1	Introduction . . . . .	129
2	Absorption Spectra and Dispersion . . . . .	131
3	EM Field Distributions . . . . .	135
4	Discussion . . . . .	142
5	Conclusions . . . . .	142
	Appendix A. Full Dispersion Equation for Homogenous MIM Waveguide Modes . . . . .	143

## SPECTRUM OF CHERENKOV RADIATION IN DISPERSIVE METAMATERIALS WITH NEGATIVE REFRACTION INDEX

*G. Burlak*

1	Introduction . . . . .	149
2	Basic Equations . . . . .	150
3	Conclusion . . . . .	156

## TRANSIENT RESISTANCE ANALYSIS OF LARGE GROUNDING SYSTEMS USING THE FDTD METHOD

*R. Xiong, B. Chen, Y.-Y. Qiu, W. Yang, and Q. Ning*

1	Introduction . . . . .	159
2	The Method for the FDTD Analysis of the TGR of Large Grounding Systems . . . . .	160
3	Numerical Analysis of the TGR . . . . .	165
4	Conclusions . . . . .	172

## SURFACE WAVES RADIATION BY FINITE ARRAYS OF MAGNETOELECTRIC RESONATORS

*C. Jouvaud, A. Ourir, and J. de Rosny*

1	Introduction . . . . .	177
2	Coupling Effects on Arrays of Subwavelength Resonators . . . . .	179
3	Theory . . . . .	183
4	Radiated Field of a Finite Size Array of Resonators . . . . .	190
5	Discussion . . . . .	193
6	Conclusion . . . . .	194

Appendix A. Complete Expression of the Mutual Coupling . . . . . 194

**EVOLUTION TOWARDS A NEW LSPR PARTICLE:  
NANO-SINUSOID**

*D. Mortazavi, A. Z. Kouzani, and L. Matekovits*

1 Introduction . . . . . 199  
 2 Theoretical Background . . . . . 201  
 3 Simulation Results and Discussion . . . . . 205  
 4 Conclusion . . . . . 210

**SUB-MILLIMETER WAVE FREQUENCY SCANNING  
8 × 1 ANTENNA ARRAY**

*R. Cambor Diaz, S. Ver Hoeye, C. Vázquez, G. Hotopan//  
M. Fernández and F. Las Heras*

1 Introduction . . . . . 215  
 2 Topology and design of the Frequency Scanning Antenna . . . 217  
 3 Frequency Scanning Behavior . . . . . 221  
 4 Experimental Results . . . . . 223  
 5 Conclusions . . . . . 229

**STATISTICAL MID-LEVEL FEATURES FOR BUILDING-  
UP AREA EXTRACTION FROM HIGH-RESOLUTION  
POLSAR IMAGERY**

*W. Yang, Y. Liu, G.-S. Xia, and X. Xu*

1 Introduction . . . . . 234  
 2 Why Mid-level Features: A Case Study . . . . . 236  
 3 Designing of Statistical Mid-level Feature Descriptors . . . . . 238  
 4 Experimental Results . . . . . 243  
 5 Conclusion . . . . . 251

**REDUCING THE POWER CONSUMPTION IN  
WIRELESS ACCESS NETWORKS: OVERVIEW AND  
RECOMMENDATIONS**

*Deruyck, Vereecken, Joseph, Lannoo, Pickavet, and Martens*

1 Introduction . . . . . 255  
 2 Technologies . . . . . 257  
 3 Coverage Effectiveness in Wireless Access Networks . . . . . 258  
 4 Deployment of base stations . . . . . 264  
 5 Conclusions . . . . . 270



**FREQUENCY SCANNING BASED RADAR SYSTEM**

*Y. Álvarez Lopez, C. García, C. Vázquez, S. Ver-Hoeye  
and F. Las-Heras*

1	Introduction . . . . .	275
2	Description of the Method . . . . .	277
3	Radar System Evaluation . . . . .	281
4	Measurement Results . . . . .	285
5	Conclusions . . . . .	293

**EVALUATION OF THE ZIGBEE TRANSMISSION  
REPETITION MECHANISM IN THE VARIABLY-  
LOADED REVERBERATION CHAMBER**

*K. Staniec*

1	Introduction . . . . .	297
2	On the Radio Channel Time Properties . . . . .	298
3	IEEE 802.15.4 Specification (ZigBee) . . . . .	301
4	The Items under Investigation and a Rationale . . . . .	304
5	Measurement Set-up . . . . .	305
6	The Time Delay Spread Effect on the ZigBee Channel Number	306
7	PER as a Function of the Reverberation Chamber Load . . . . .	307
8	PER as a Function of the Number of Transmission Repetitions	309
9	Conclusions . . . . .	310

**PERFORMANCE ANALYSIS OF RADAR TARGET  
RECOGNITION USING NATURAL FREQUENCY:  
FREQUENCY DOMAIN APPROACH**

*J.-H. Lee, S.-W. Cho, S.-H. Park, and K.-T. Kim*

1	Introduction . . . . .	315
2	Formulation in Frequency Domain . . . . .	318
3	Performance Analysis for Two Targets . . . . .	319
4	Performance Analysis for Multiple Targets . . . . .	325
5	Numerical Results . . . . .	326
6	Conclusions . . . . .	336

**SPATIAL CORRELATION OF MULTIPLE ANTENNA ARRAYS IN WIRELESS COMMUNICATION SYSTEMS**

*J.-H. Lee and C.-C. Cheng*

1	Introduction . . . . .	347
2	Spatial Correlation Function . . . . .	349
3	Proposed Method for ECC Maximization . . . . .	354
4	Simulation Results . . . . .	360
5	Conclusion . . . . .	364

**DESIGN AND VALIDATION OF A TEM CELL USED FOR RADIOFREQUENCY DOSIMETRIC STUDIES**

*C. Iftode and S. Miclaus*

1	Introduction . . . . .	370
2	TEM Cell Characteristics and Validation Procedure . . . . .	371
3	Scattering Parameters and Resonant Frequencies of the TEM Cell . . . . .	373
4	Incident Field Distribution inside the TEM Cell . . . . .	376
5	Dosimetric Validation of the TEM Cell . . . . .	378
6	Conclusion . . . . .	385

**SOFT-FOCUSING IN ANISOTROPIC INDEFINITE MEDIA THROUGH HYPERBOLIC DISPERSION**

*S. Wheeland, A. V. Amirkhizi, and S. Nemat-Nasser*

1	Introduction . . . . .	389
2	Theory . . . . .	390
3	Methodology . . . . .	394
4	Results . . . . .	396
5	Conclusions . . . . .	399

**SCATTERING OF AN ARBITRARILY ORIENTED DIPOLE FIELD BY A CIRCULAR DISK WITH SURFACE IMPEDANCE**

*A. D. U. Jafri, Q. A. Naqvi, A. A. Syed, and K. Hongo*

1	Introduction . . . . .	403
2	Expressions for Incident Wave . . . . .	405
3	The Expressions for Scattered Field . . . . .	407
4	Results and Discussion . . . . .	418

**RETRIEVAL OF EFFECTIVE ELECTROMAGNETIC PARAMETERS OF ISOTROPIC METAMATERIALS USING REFERENCE-PLANE INVARIANT EXPRESSIONS**

*U. C. Hasar, J. J. Barroso, C. Sabah, I. Y. Ozbek, Y. Kaya, D. Dal and T. Aydin*

1	Introduction . . . . .	426
2	Statement of the Problem . . . . .	427
3	Retrieval Methods . . . . .	428
4	Simulation Results . . . . .	431
5	Retrieved Electromagnetic Properties . . . . .	432
6	Conclusions . . . . .	438

**KALMAN FILTER FOR REMOVAL OF SCALLOPING AND INTER-SCAN BANDING IN SCANSAR IMAGES**

*M. Iqbal, J. Chen, W. Yang, P. Wang, and B. Sun*

1	Introduction . . . . .	444
2	ScanSAR Transfer Function . . . . .	446
3	Proposed Framework . . . . .	448
4	Implementation and Experimental Results . . . . .	453
5	Conclusion . . . . .	459

**A DETACHED ZERO INDEX METAMATERIAL LENS FOR ANTENNA GAIN ENHANCEMENT**

*F.-Y. Meng, Y.-L. Lv, K. Zhang, Q. Wu, and L.-W. Li*

1	Introduction . . . . .	464
2	Design and Analysis of Detached ZIML . . . . .	465
3	Fabrication, Simulation and Test of ZIML . . . . .	468
4	Discussion . . . . .	471
5	Conclusion . . . . .	475

**PERFORMANCE EVALUATION OF UWB ON-BODY COMMUNICATION UNDER WIMAX OFF-BODY EMI EXISTENCE**

*A.-M. Gao, Q.-H. Xu, H.-L. Peng, W. Jiang, and Y. Jiang*

1	Introduction . . . . .	479
2	Channel and Signal Modeling . . . . .	480
3	Performance and Analysis . . . . .	490

4	Conclusion . . . . .	495
---	----------------------	-----

**A WIDEBAND DUAL-POLARIZED PATCH ANTENNA WITH ELECTRIC PROBE AND MAGNETIC LOOP FEEDS**

*J.-J. Xie, Y.-Z. Yin, J. Ren, and T. Wang*

1	Introduction . . . . .	499
2	Linearly Polarized Wideband Antenna . . . . .	501
3	Dual Polarized Dual Resonance Antenna (Antenna #3) . . . . .	509
4	Conclusion . . . . .	513

**DEVELOPMENT OF A SYMPLECTIC SCHEME WITH OPTIMIZED NUMERICAL DISPERSION-RELATION EQUATION TO SOLVE MAXWELL'S EQUATIONS IN DISPERSIVE MEDIA**

*T. W. H. Sheu, R. Y. Chung, and J. H. Li*

1	Introduction . . . . .	518
2	Working Equations . . . . .	519
3	Solution Algorithm . . . . .	524
4	Explicit Partitioned Runge-Kutta Temporal Discretization . . . . .	525
5	Dispersion Relation Equation Preserving Spatial Discretization Method . . . . .	526
6	Validation and Assessment of the Dual Preserving Maxwell's Equation Solver . . . . .	536
7	Numerical Results in Dispersive Media . . . . .	540
8	Concluding Remarks . . . . .	548

**SIMPLE FORMULA AND ITS EXACT ANALYTIC SOLUTION OF MUTUAL IMPEDANCE FOR NONPLANAR-SKEW DIPOLES**

*J. H. Han, W. Y. Song, K. S. Ohand, and N. H. Myung*

1	Introduction . . . . .	551
2	Mutual Impedance Analysis . . . . .	553
3	Exact Analytic Solution of the Proposed Formula . . . . .	559
4	Verification and Analysis . . . . .	563
5	Conclusion . . . . .	567

**INTERFEROMETRIC ISAR IMAGING ON MARITIME TARGET APPLICATIONS: SIMULATION OF REALISTIC TARGETS AND DYNAMICS**

*D. Felguera-Martín, J. T. González-Partida, and M. Burgos-García*

1	Introduction . . . . .	571
2	Maritime Target Simulation . . . . .	572
3	InISAR Signal Processing . . . . .	577
4	Dynamics Influence and utility of InISAR images . . . . .	579
5	Conclusions . . . . .	584

**COUPLING EFFECT FOR DIELECTRIC METAMATERIAL DIMER**

*F. Zhang, V. Sadaune, L. Kang, Q. Zhao, J. Zhou, and D. Lippens*

1	Introduction . . . . .	587
2	Elementary Cell for Dielectric Metadimer . . . . .	589
3	Dielectric Dimer . . . . .	591
4	Conclusion . . . . .	597

**TUBULAR LINEAR INDUCTION MACHINE AS A FAST ACTUATOR: ANALYSIS AND DESIGN CRITERIA**

*A. Musolino, R. Rizzo, and E. Tripodi*

1	Introduction . . . . .	603
2	The Model . . . . .	605
3	Results . . . . .	612
4	Conclusions . . . . .	616