

---

**ELECTROMAGNETIC  
WAVES                      PIERB 05**

---

**Progress**

**In**

**Electromagnetics**

**Research B**

© 2008 EMW Publishing. All rights reserved.

No part of this publication may be reproduced. Request for permission should be addressed to the Publisher.

All inquiries regarding copyrighted material from this publication, manuscript submission instructions, and subscription orders and price information should be directed to: EMW Publishing, P. O. Box 425517, Kendall Square, Cambridge, Massachusetts 02142, USA.

E-ISSN 1937-6472

---

**ELECTROMAGNETIC  
WAVES                      PIERB 05**

---

**Progress**

**In**

**Electromagnetics**

**Research B**

**Chief Editor: J. A. Kong**

EMW Publishing

Cambridge, Massachusetts, USA



## CONTENTS

**WIENER-HOPF ANALYSIS OF PLANAR CANONICAL STRUCTURES LOADED WITH LONGITUDINALLY MAGNETIZED PLASMA BIASED NORMALLY TO THE EXTRAORDINARY WAVE PROPAGATION***G. A. Kyriacou*

1	Introduction . . . . .	1
2	Formulation of the Canonical Problem . . . . .	4
3	Conclusions . . . . .	31

**A COMPACT *H*-PLANE MAGIC TEE DESIGNED AT W BAND***Z. X. Wang, W. B. Dou, and Z. L. Mei*

1	Introduction . . . . .	35
2	Design of the NWSDC . . . . .	36
3	Design of the DLWPS . . . . .	41
4	Characteristic of the Magic Tee . . . . .	44
5	Conclusion . . . . .	47

**SUPPORT VECTOR CHARACTERIZATION OF THE MICROSTRIP ANTENNAS BASED ON MEASUREMENTS***N. T. Tokan and F. Güneş*

1	Introduction . . . . .	49
2	Support Vector Machines in Regression . . . . .	51
3	Characterization of the Rectangular Microstrip Antenna . . . . .	53
4	Conclusion . . . . .	58

**A SYMMETRICAL CIRCUIT MODEL DESCRIBING ALL KINDS OF CIRCUIT METAMATERIALS***T. J. Cui, H. F. Ma, R. Liu, B. Zhao, Q. Cheng, and J. Y. Chin*

1	Introduction . . . . .	63
2	Symmetrical Circuit Model and Effective Medium Theory . . . . .	64
3	Validation of the Proposed Medium Model . . . . .	68
4	Conclusions . . . . .	74

### SHAPED BEAM PATTERN SYNTHESIS WITH NON-UNIFORM SAMPLE PHASES

*J. A. R. Azevedo*

1	Introduction . . . . .	77
2	Calculation of the Sample Phases . . . . .	79
3	Synthesis Method . . . . .	83
4	Results . . . . .	86
5	Conclusion . . . . .	89

### SUB-ENTIRE-DOMAIN BASIS FUNCTION METHOD FOR IRRECTANGULAR PERIODIC STRUCTURES

*W. B. Lu, Q. Y. Zhao, and T. J. Cui*

1	Introduction . . . . .	91
2	Brief Introduction of ISED Basis Function Method . . . . .	92
3	Definition and Determination of ISED Basis Functions . . . . .	94
4	Numerical Results . . . . .	97
5	Conclusions . . . . .	103

### AN EQUIVALENT CIRCUIT FOR EMI PREDICTION IN PRINTED CIRCUIT BOARDS FEATURING A STRAIGHT-TO-BENT MICROSTRIP LINE COUPLING

*P. Bernardi, R. Cicchetti, G. Pelosi, A. Reatti, S. Selleri  
and M. Tatini*

1	Introduction . . . . .	107
2	Statement of the Problem . . . . .	109
3	The Full Wave Model . . . . .	109
4	The Equivalent Circuit . . . . .	110
5	Numerical Results . . . . .	111
6	Conclusions . . . . .	115

### PERFORMANCE ANALYSIS OF A HIGH DATA RATE UWB-DTR SYSTEM IN DENSE MULTIPATH CHANNELS

*H. Khani and P. Azmi*

1	Introduction . . . . .	119
2	UWB-DTR System . . . . .	121
3	UWB-DTR Equivalent System Model without Noise . . . . .	124
4	UWB-DTR Equivalent System Model with Noise . . . . .	125

5 Results and Discussions . . . . . 126  
 6 Conclusions . . . . . 128

**DESIGN OF A TUNABLE POLARIZER USING A ONE-DIMENSIONAL NANO SIZED PHOTONIC BANDGAP STRUCTURE**

*S. K. Awasthi, U. Malaviya, S. P. Ojha, N. K. Mishra, and B. Singh*

1 Introduction . . . . . 134  
 2 Theoretical Analysis . . . . . 134  
 3 Results and Discussion . . . . . 137  
 4 Design of a Polarizer . . . . . 137  
 5 Conclusion . . . . . 149

**RETRODIRECTIVE ARRAY TECHNOLOGY**

*Y. C. Guo, X. W. Shi and L. Chen*

1 Introduction . . . . . 153  
 2 Retrodirective Topologies . . . . . 154  
 3 Characterization of Retrodirective Array . . . . . 159  
 4 Array Design Considerations . . . . . 161  
 5 Further Research . . . . . 163  
 6 Conclusions . . . . . 1674

**REFLECTION AND TRANSMISSION OF WAVES AT THE INTERFACE OF PERFECT ELECTROMAGNETIC CONDUCTOR (PEMC)**

*I. V. Lindell and A. H. Sihvola*

1 Introduction . . . . . 169  
 2 Reflection from a Boundary . . . . . 171  
 3 Fields in the PEMC Medium . . . . . 175  
 4 PEMC Slab . . . . . 180  
 5 Conclusion . . . . . 182

**PROCESSING OF COMPOSITES USING VARIABLE AND FIXED FREQUENCY MICROWAVE FACILITIES**

*H. S. Ku and T. Yusaf*

1 Introduction . . . . . 185  
 2 Materials and Microwaves Interactions . . . . . 186  
 3 Variable Frequency Microwaves (VFM) . . . . . 188

4 Fixed Frequency Curing or Processing of Composite Materials 189  
 5 Variable Frequency Curing or Processing of Composite Materials ..... 196  
 6 Conclusion ..... 202

**RAIN RATE AND RAIN ATTENUATION PREDICTION FOR SATELLITE COMMUNICATION IN KU AND KA BANDS OVER NIGERIA**

*J. S. Ojo, M. O. Ajewole, and S. K. Sarkar*

1 Introduction ..... 207  
 2 Overview of Some Existing Models for Rain-Attenuation and Rain-Rate ..... 210  
 3 Development of Rain-Rate and Rain Attenuation Contour Maps ..... 214  
 4 Conclusions ..... 221

**PHENOMENA OF PAIRED ECHOES AND TRANSMISSION CHARACTERISTICS OF THE PULSE SIGNAL IN DISPERSIVE TRANSMISSION LINES WITH DISCONTINUITIES**

*Y. F. Gui and W. B. Dou*

1 Introduction ..... 225  
 2 The Technique of Paired Echoes and Its Parameters Analysis 227  
 3 The Discussion Whether Dispersive Transmission Line will Lead to the Phenomena of Paired Echoes ..... 230  
 4 The Influence of the Discontinuities of Transmission Line on Time Domain Pulse Signal ..... 236  
 5 Conclusion ..... 238

**WIENER-HOPF ANALYSIS OF FINITE-LENGTH IMPEDANCE LOADING IN THE OUTER CONDUCTOR OF A COAXIAL WAVEGUIDE**

*F. Hacivelioglu and A. Büyükkaksoy*

1 Introduction ..... 241  
 2 Analysis ..... 242  
 3 The Scattered Field ..... 246  
 4 Computational Results ..... 247  
 5 Concluding Remarks ..... 251



### A 2.3-mW 16.7-MHz ANALOG MATCHED FILTER CIRCUIT FOR DS-CDMA WIRELESS APPLICATIONS

*M. A. R. Eltokhy and H. A. K. Mansour*

1	Introduction . . . . .	253
2	Fundamental Architecture . . . . .	255
3	Proposed Circuit Design . . . . .	256
4	Design Considerations . . . . .	258
5	Simulation Results . . . . .	261
6	Conclusion . . . . .	263

### DIFFRACTION OF EM PLANE WAVE BY A SLIT IN AN IMPEDANCE PLANE USING MALIUZHINETS FUNCTION

*M. Naveed, Q. A. Naqvi, and K. Hongo*

1	Introduction . . . . .	265
2	Formulation of the Problem . . . . .	266
3	Electromagnetic Field Diffracted from the Slit . . . . .	268
4	Discussion . . . . .	270

### IMPEDANCE VIBRATOR WITH ARBITRARY POINT OF EXCITATION

*M. V. Nesterenko, V. A. Katrich, V. M. Dakhov, and S. L. Berdnik*

1	Introduction . . . . .	275
2	Problem Formulation and Initial Integral Equations . . . . .	276
3	Solution of the Integral Equation for the Current . . . . .	279
4	Numerical Results . . . . .	283
5	Conclusion . . . . .	287
	Appendix A. The Coefficients of the Algebraic Equations System	287

### H-SHAPED STACKED PATCH ANTENNA FOR DUAL BAND OPERATION

*J. A. Ansari, P. Singh, S. K. Dubey, R. U. Khan  
and B. R. Vishvakarma*

1	Introduction . . . . .	291
2	Theoretical Considerations . . . . .	292
3	Discussion of Results . . . . .	298
4	Conclusions . . . . .	301

**UPLINK CARRIER-TO-INTERFERENCE  
IMPROVEMENT IN A CELLULAR  
TELECOMMUNICATION SYSTEM WHEN A SIX-BEAM  
SWITCHED PARASITIC ARRAY IS IMPLEMENTED**

*A. I. Sotiriou, P. T. Trakadas, and C. N. Capsalis*

1	Introduction.....	303
2	Most Significant Benefits from Smart Antenna Deployment ..	305
3	Design of a Switched Parasitic Array Using a Genetic Algorithm.....	306
4	Simulation Model Description .....	311
5	Simulation Results .....	314
6	Conclusions .....	319