

---

**ELECTROMAGNETIC  
WAVES**                      **PIERC 09**

---

**Progress**

**In**

**Electromagnetics**

**Research C**

© 2009 EMW Publishing. All rights reserved.

No part of this publication may be reproduced. Request for permission should be addressed to the Publisher.

All inquiries regarding copyrighted material from this publication, manuscript submission instructions, and subscription orders and price information should be directed to: EMW Publishing, P. O. Box 425517, Kendall Square, Cambridge, Massachusetts 02142, USA.

E-ISSN 1937-8718

---

**ELECTROMAGNETIC  
WAVES                      PIERC 09**

---

**Progress**

**In**

**Electromagnetics**

**Research C**

**Chief Editor: Weng Cho Chew**

EMW Publishing

Cambridge, Massachusetts, USA



## CONTENTS

**DIRECTIONAL DUAL-BAND SLOT ANTENNA  
WITH DUAL-BANDGAP HIGH-IMPEDANCE-  
SURFACE REFLECTOR***X. L. Bao, G. Ruvio, and M. J. Ammann*

1	Introduction . . . . .	1
2	The Compact Dualband EBG Structure . . . . .	2
3	Geometric Arrangement for Antenna with EBG Reflector . . .	3
4	Results and Discussion . . . . .	7
5	Conclusions . . . . .	10

**PATCH ANTENNA WITH RECONFIGURABLE  
POLARIZATION***G. Monti, L. Corchia, and L. Tarricone*

1	Introduction . . . . .	13
2	Design Approach . . . . .	14
3	Simulated and Experimental Results . . . . .	16
4	Conclusion . . . . .	21

**DESIGN OF 3 TO 5 GHz CMOS LOW NOISE AMPLIFIER  
FOR ULTRA-WIDEBAND (UWB) SYSTEM***S.-K. Wong, F. Kung, S. Maisurah, M. N. Bin Osman, and S. J. Hui*

1	Introduction . . . . .	25
2	UWB LNA Circuit Design . . . . .	26
3	Experimental Results . . . . .	30
4	Conclusion . . . . .	33

**77 GHz MICROSTRIP ANTENNA WITH GAP COUPLED  
ELEMENTS FOR IMPEDANCE MATCHING***F. D. L. Peters, S. O. Tatu, and T. A. Denidni*

1	Introduction and Motivation . . . . .	35
2	Analysis . . . . .	36
3	Design and Simulation . . . . .	37
4	Design Procedure . . . . .	38
5	Results . . . . .	40

6 Conclusion ..... 44

**REDUCTION OF SPECIFIC ABSORPTION RATE (SAR) IN THE HUMAN HEAD WITH FERRITE MATERIAL AND METAMATERIAL**

*M. T. Islam, M. R. I. Faruque, and N. Misran*

1 Introduction ..... 48  
 2 SAR Reduction by FDTD Method with Lossy Drude Model . 50  
 3 SRRS Design Methodology and SAR Reduction..... 53  
 4 Conclusion ..... 56

**THE EFFECT OF AN EXTERNAL ELECTROMAGNETIC FIELD ON ORTHOGONAL COUPLED MICROSTRIP TRANSMISSION LINES**

*M. Bagerian, A. Arshadi, and A. Cheldavi*

1 Introduction ..... 59  
 2 The Structure and Its Equivalent Model ..... 60  
 3 Transmission Line Equations ..... 63  
 4 Results and Comparison with HFSS ..... 67  
 5 Conclusion ..... 70

**A LOW COST RF OSCILLATOR INCORPORATING A FOLDED PARALLEL COUPLED RESONATOR**

*K. A. Butt, A. E. Nadeem, and A. Hasan*

1 Introduction ..... 75  
 2 Choice of Resonator Topolgy ..... 77  
 3 Preliminary Design ..... 78  
 4 Sensitivity Analysis ..... 79  
 5 Design Optimization ..... 82  
 6 Modified Design ..... 82  
 7 Simulation and Measurements ..... 85  
 8 Conclusion ..... 87

**QUASI-ELLIPTIC BANDPASS FILTER BASED ON SIR WITH ELIMINATION OF FIRST SPURIOUS RESPONSE**

*N. Molaei Garmjani and N. Komjani*

1 Introduction ..... 89  
 2 The Basic Structure of SIR Resonator ..... 90  
 3 Four-pole Cross-coupled SIR Filter ..... 93

4	SIR Filter with DGS Structure in Its Ground Plane . . . . .	94
5	Design and Simulation Results . . . . .	95
6	Conclusion . . . . .	99

**FIBER LOOP MIRROR FILTER WITH TWO-STAGE HIGH BIREFRINGENCE FIBERS**

*K. S. Lim, C. H. Pua, N. A. Awang, S. W. Harun, and H. Ahmad*

1	Introduction . . . . .	102
2	Experimental Setup and Theoretical Analysis . . . . .	102
3	Result and Discussion . . . . .	105
4	Conclusion . . . . .	107

**COMPACT TOP-LOADED MONOPOLE ANTENNA WITH A PAIR OF SLEEVES ON THE GROUND PLANE FOR MULTI-BAND WLAN APPLICATIONS**

*J. Chen, G. Fu, G.-D. Wu, and S.-X. Gong*

1	Introduction . . . . .	110
2	Antenna Design . . . . .	110
3	Results and Discussion . . . . .	111
4	Conclusion . . . . .	115

**A SIMPLE STRATEGY FOR LIFE SIGNS DETECTION VIA AN X-BAND EXPERIMENTAL SET-UP**

*M. D’Urso, G. Leone, and F. Soldovieri*

1	Motivations . . . . .	119
2	Experimental Set-up . . . . .	121
3	The Adopted Matemathical Model . . . . .	122
4	Reconstruction Scheme . . . . .	124
5	Experimental Results . . . . .	126
6	Conclusions . . . . .	128

**FREQUENCY NOTCHED WIDE BAND PLANAR MONOPOLE ANTENNAS**

*B. Rahmati and H. R. Hassani*

1	Introduction . . . . .	131
2	Antenna Design . . . . .	132
3	Band-notch Characteristics . . . . .	133
4	Conclusion . . . . .	141

**TRIPLE-BAND PRINTED DIPOLE TAG ANTENNA FOR RFID***M. Abu and M. K. A. Rahim*

1	Introduction . . . . .	145
2	Antenna Design . . . . .	146
3	Comparison between Simulation and Measurement Results . .	149
4	Measurement on Tri-band Printed Dipole Antenna . . . . .	151
5	Conclusion . . . . .	152
6	Future Work . . . . .	153

**WIDE RANGE OF ELECTROSTATIC ACTUATION MEMS FPOTF***N. H. Ngajikin, N. M. Kassim, and A. B. Mohammad*

1	Introduction . . . . .	155
2	MEMS Floating FPOTF (f-FPOTF) Configuration . . . . .	156
3	Analysis and Discussion . . . . .	161
4	Conclusion . . . . .	166

**COMPACT SHORTED MICROSTRIP PATCH ANTENNA FOR DUAL BAND OPERATION***A. Mishra, P. Singh, N. P. Yadav, J. A. Ansari and B. R. Vishvakarma*

1	Introduction . . . . .	172
2	. . . . .	172
3	Design and Specifications . . . . .	177
4	Result and Discussion . . . . .	178

**DESIGN AND OPTIMIZATION OF COMPACT BALANCED ANTIPODAL VIVALDI ANTENNA***F. Jolani, G. Dadashzadeh, M. Naser-Moghadasi, and A. Dadgarpour*

1	Introduction . . . . .	183
2	Design of Balanced Antipodal Vivaldi Antenna . . . . .	184
3	CFDTD/PSO Method . . . . .	185
4	Numerical Results . . . . .	189
5	Conclusion . . . . .	191



---

**AN ULTRA-BROADBAND, COPLANAR-WAVEGUIDE  
FED CIRCULAR MONOPOLE ANTENNA WITH  
IMPROVED RADIATION CHARACTERISTICS***N.-W. Chen and Y.-C. Liang*

1	Introduction . . . . .	193
2	Antenna Structure and Analysis . . . . .	195
3	Antenna Measurement . . . . .	201
4	Conclusion . . . . .	205