
**ELECTROMAGNETIC
WAVES** **PIERC 10**

Progress

In

Electromagnetics

Research C

© 2009 EMW Publishing. All rights reserved.

No part of this publication may be reproduced. Request for permission should be addressed to the Publisher.

All inquiries regarding copyrighted material from this publication, manuscript submission instructions, and subscription orders and price information should be directed to: EMW Publishing, P. O. Box 425517, Kendall Square, Cambridge, Massachusetts 02142, USA.

E-ISSN 1937-8718

**ELECTROMAGNETIC
WAVES PIERC 10**

Progress

In

**Electromagnetics
Research C**

Chief Editor: Weng Cho Chew

EMW Publishing
Cambridge, Massachusetts, USA

CONTENTS

**PERFORMANCE AND COMPLEXITY IMPROVEMENT
OF TRAINING BASED CHANNEL ESTIMATION IN
MIMO SYSTEMS***M. W. Numan, M. T. Islam, and N. Misran*

| | | |
|---|--|----|
| 1 | Introduction | 2 |
| 2 | MIMO System Model | 4 |
| 3 | Proposed Channel Estimation Method | 5 |
| 4 | Results and Discussion | 7 |
| 5 | Conclusion | 11 |

**A NEW DUAL-BAND HIGH POWER FERRITE
CIRCULATOR***H. Razavipour, R. Safian, G. Askari, F. Fesharaki
and H. Mirmohamad Sadeghi*

| | | |
|---|--|----|
| 1 | Introduction | 15 |
| 2 | Theory of the Dual Band Circulator | 16 |
| 3 | Design and Simulation Results | 20 |
| 4 | Summary and Conclusion | 23 |

**RESONANT BEHAVIOR MEASUREMENTS
AND TWO-DIMENSIONAL IMAGING OF
SMALL CONDUCTING SPHERES IN CATR***S. H. Quan and Q. H. Liu*

| | | |
|---|---|----|
| 1 | Introduction | 25 |
| 2 | System Composition and Measurement Method | 26 |
| 3 | Test Targets and Support Configuration | 29 |
| 4 | Experimental Results | 30 |
| 5 | Conclusion | 33 |

**MINIATURIZED MICROSTRIP DUAL-BAND
BANDS-STOP FILTERS USING TRI-SECTION
STEPPED-IMPEDANCE RESONATORS***K.-S. Chin and C.-K. Lung*

| | | |
|---|----------------------------|----|
| 1 | Introduction | 37 |
| 2 | Synthesis Method | 38 |

| | | |
|---|----------------------|----|
| 3 | Three Examples | 44 |
| 4 | Conclusion | 47 |

**NUMERICAL STUDY OF BEHAVIOURAL
SUB-HARMONICALLY PUMPED MIXER
IN A NOVEL STRUCTURE**

A. Vaezi, A. Abdipour, and K. Afrooz

| | | |
|---|---|----|
| 1 | Introduction | 49 |
| 2 | Mixer Configuration | 50 |
| 3 | Simultaneous Signal and Noise Analysis for Arbitrary Number of Anti-parallel Diode Mixer | 52 |
| 4 | Numerical Results | 58 |
| 5 | Conclusion | 60 |

**INTERNAL SHORTED PATCH ANTENNA INTE-
GRATED WITH A SHIELDING METAL CASE
FOR UMTS OPERATION IN A PDA PHONE**

Y.-T. Liu

| | | |
|---|---|----|
| 1 | Introduction | 63 |
| 2 | Antenna Design | 64 |
| 3 | Experimental Results and Discussion | 70 |
| 4 | Conclusion | 72 |

**LOADED COUPLED TRANSMISSION LINE APPROACH
OF LEFT-HANDED (LH) STRUCTURES AND
REALIZATION OF A HIGHLY COMPACT DUAL-BAND
BRANCH-LINE COUPLER**

M. Hayati and M. Nosrati

| | | |
|---|---|----|
| 1 | Introduction | 75 |
| 2 | The Loaded Coupled Transmission Lines | 77 |
| 3 | LH TL and RH TL | 78 |
| 4 | Dual-band Branch-line Coupler | 80 |
| 5 | Conclusion | 84 |

COMPACT SLOT ANTENNA WITH EBG FEEDING LINE FOR WLAN APPLICATIONS

A. Danideh, A. A. Lotfi Neyestanak, M. N. Moghaddasi and G. Dadashzadeh

| | | |
|---|----------------------------------|----|
| 1 | Introduction | 88 |
| 2 | Antenna Geometry | 90 |
| 3 | Results and Discussion | 91 |
| 4 | Conclusion | 98 |

A NOVEL WIDEBAND MULTILAYERED MICROSTRIP ANTENNA WITH SHORTING PINS AND ARC-SHAPED APERTURES LOADED

Y.-J. Zhang, S.-X. Gong, X. Li, F.-T. Zha, and Y. Guan

| | | |
|---|---|-----|
| 1 | Introduction | 101 |
| 2 | Antenna Structure and Design | 102 |
| 3 | Effects of the Key Parameters | 103 |
| 4 | Simulation and Measured Results | 106 |
| 5 | Conclusion | 108 |

MIMO ANTENNA MODELLING USING THE EFFECTIVE LENGTH MATRICES

V. Papamichael and C. Soras

| | | |
|---|---|-----|
| 1 | Introduction | 111 |
| 2 | Hybrid Electromagnetic-network Analysis of MEA Systems . . | 112 |
| 3 | MIMO System Modelling in Multipath Wireless Channels . . | 118 |
| 4 | Example: A 2×2 Coupled Dipoles MIMO System in Free Space | 121 |
| 5 | Conclusion | 124 |

AN OPTIMAL ANTENNA PATTERN SYNTHESIS FOR ACTIVE PHASED ARRAY SAR BASED ON PARTICLE SWARM OPTIMIZATION AND ADAPTIVE WEIGHTING FACTOR

S. Y. Kim and N. H. Myung

| | | |
|---|--|-----|
| 1 | Introduction | 129 |
| 2 | Active Phased Array SAR and Cost Function Definition | 130 |
| 3 | Use of the PSO Technique to Improve the SAR Performance | 133 |
| 4 | Selection of the Adaptive Weighting Factors | 134 |
| 5 | Simulation Results | 136 |

6 Conclusion 141

IMPROVING THE BEAM EFFICIENCY OF AN OFFSET PARABOLIC REFLECTOR ANTENNA FOR SPACEBORNE RADIOMETRIC APPLICATIONS

D. A. Pujara, S. B. Sharma, and S. B. Chakrabarty

1 Introduction 143
 2 Analysis 145
 3 Results 147
 4 Conclusion 148

DUAL-BAND DUAL-POLARIZED ARRAY FOR WLAN APPLICATIONS

J. M. Steyn, J. W. Odendaal, and J. Joubert

1 Introduction 151
 2 Antenna Configuration 153
 3 Simulation and Measured Results 155
 4 Conclusion 160

EFFECTS OF COUPLING COEFFICIENT ON STATIC PROPERTIES OF BISTABLE QWS-DFB SEMICONDUCTOR LASER AMPLIFIERS

M. Aleshams

1 Introduction 163
 2 The Coupling Coefficient in DFB Structure 165
 3 Theoretical Model 167
 4 Numerical Results 168
 5 Conclusion 172

A WIDEBAND MINIATURIZED DIPOLE ANTENNA ON A PRINTED CIRCUIT BOARD

H. Y. D. Yang and Y. Y. Zhang

1 Introduction 175
 2 The Design of a Miniaturized Wire Antenna 176
 3 Conclusions 183

**NEW METHOD OF INTEGRATING PERIODIC
PERMANENT MAGNET (PPM) ASSEMBLY IN
TRAVELING WAVE TUBES (TWTS)**

T. Mulcahy, H. Song, and F. Francisco

| | | |
|---|---------------------------------|-----|
| 1 | Introduction | 187 |
| 2 | Materials and Methods | 189 |
| 3 | Results and Analysis | 194 |

**UNDERSTANDING STANDARD OFDM WIMAX
SIGNAL ACCESS IN RADIO OVER FIBER SYSTEM**

*C.-H. Yeh, C.-W. Chow, C.-H. Wang, F.-Y. Shih, Y.-F. Wu
Y.-L. Liu and S. Chi*

| | | |
|---|---|-----|
| 1 | Introduction | 202 |
| 2 | WiMAX Scenario | 203 |
| 3 | Experiment, Result and Discussion | 206 |
| 4 | Conclusion | 213 |

**ADAPTIVE TRANSMIT ANTENNA SELECTION AND
POWER ALLOCATION SCHEME FOR TURBO-BLAST
SYSTEM WITH IMPERFECT CHANNEL STATE
INFORMATION**

X. M. Chen, D. Z. Xu, and X. B. Yu

| | | |
|---|---|-----|
| 1 | Introduction | 215 |
| 2 | Basic Channel Model and System Description | 216 |
| 3 | Proposed Transmission Scheme with Imperfect CSI | 218 |
| 4 | Iterative Detection Algorithm for Modified Turbo-blast System | 223 |
| 5 | Simulation Results | 226 |
| 6 | Conclusion | 228 |

**DE-INTERLEAVED SUBSAMPLING ARCHITECTURE
FOR HOMODYNE RECEIVERS**

S. A. Bassam, M. Helaoui, and F. M. Ghannouchi

| | | |
|---|---|-----|
| 1 | Introduction | 231 |
| 2 | Overview of Previous Topologies | 232 |
| 3 | Topology of the Proposed Subsampling Receiver | 234 |
| 4 | Simulation and Measurement Results | 237 |
| 5 | Conclusion | 240 |

A NOVEL MINIATURIZED WIDE-BAND ELLIPTIC-FUNCTION LOW-PASS FILTER USING MICROSTRIP OPEN-LOOP AND SEMI-HAIRPIN RESONATORS*M. Hayati, H. Kakaei, A. Fard, and M. Nosrati*

| | | |
|---|----------------------------|-----|
| 1 | Introduction | 244 |
| 2 | Design Procedure | 245 |
| 3 | Conclusion | 250 |