
**ELECTROMAGNETIC
WAVES PIERL 22**

Progress

In

Electromagnetics

Research Letters

© 2011 EMW Publishing. All rights reserved.

No part of this publication may be reproduced. Request for permission should be addressed to the Publisher.

All inquiries regarding copyrighted material from this publication, manuscript submission instructions, and subscription orders and price information should be directed to: EMW Publishing, P. O. Box 425517, Kendall Square, Cambridge, Massachusetts 02142, USA.

E-ISSN 1937-6480

**ELECTROMAGNETIC
WAVES** **PIERL 22**

Progress

In

**Electromagnetics
Research Letters**

Chief Editor: Weng Cho Chew

EMW Publishing
Cambridge, Massachusetts, USA

CONTENTS

A NOVEL SELF-SIMILAR ANTENNA FOR UWB APPLICATIONS WITH BAND-NOTCHED CHARACTERISTICS

S.-T. Fan, Y.-Z. Yin, H. Li, and L. Kang

1	Introduction	1
2	Antenna Design	2
3	Results and Discussion	4
4	Conclusion	7

PULSE SIGNALS IN OPEN CIRCULAR DIELECTRIC WAVEGUIDE

M. Legenkiy and A. Butrym

1	Introduction	9
2	Problem Statement	11
3	Results of Numerical Calculations	12
4	Conclusions	16

NARROWBAND FREQUENCY SELECTIVE SURFACE BASED ON SUBSTRATE INTEGRATED WAVEGUIDE TECHNOLOGY

*H. Zhou, S. Qu, Z. Pei, J. Zhang, B. Lin, J. Wang, H. Ma, C. Gu
Z. Xu, P. Bai, and W. Peng*

1	Introduction	20
2	Analysis and Design	21
3	FSS with Stable Resonance	22
4	Experiment	24
5	Conclusion	26

SELF-FOCUSED PULSES IN TWO-DIMENSIONAL COMPOSITE RIGHT- AND LEFT-HANDED TRANSMISSION LINES WITH REGULARLY SPACED SCHOTTKY VARACTORS

J. Ogasawara and K. Narahara

1	Introduction	29
2	Fundamental properties of 2D Schottky CRLH lines	30
3	Experimental Observations	33

4 Conclusion 37

BANDWIDTH ENHANCEMENT DESIGN OF COMPACT UWB STEP-SLOT ANTENNA WITH ROTATED PATCH

K. Song, Y.-Z. Yin, B. Chen, S.-T. Fan, and F. Gao

1 Introduction 39
 2 Antenna Architecture Design 40
 3 Results and Discussion 42
 4 Conclusion 44

EFFECT OF THE METAL SHEET THICKNESS ON THE FREQUENCY BLUESHIFT IN SINGLE LAYER COMPOSITE MATERIALS AT KA MICROWAVE FREQUENCY

C. Amabile, E. Prati, F. Costa, and A. Monorchio

1 Introduction 47
 2 Design of Waveguide Composite Materials Based on Genetic Algorithms 49
 3 Experimental Characterization 51
 4 Conclusions 56

IMPROVED COMPOSITE RIGHT/LEFT-HANDED CELL FOR LEAKY-WAVE ANTENNA

A. Anghel and R. Cacoveanu

1 Introduction 59
 2 Improved Microstrip CRLH Cell Basics 60
 3 Design and Optimization Process 62
 4 Experiment and Simulation 63
 5 Conclusion 67
 Appendix A. Proof of the Fractional Bandwidth Relation 67
 Appendix B. Derivation of the Propagation and Attenuation Factors of the CRLH cell from the *S* Parameters 68

A STACKED EQUILATERAL TRIANGULAR PATCH ANTENNA WITH SIERPINSKI GASKET FRACTAL FOR WLAN APPLICATIONS

J. Malik and M. V. Kartikeyan

1 Introduction 71
 2 Antenna Geometry 72
 3 Return Loss and Parametric Variations 74

4	Current Distribution	77
5	Measurement Results	78
6	Conclusions	80

ANALYSIS OF DISPERSION RELATION OF PIECEWISE LINEAR RECURSIVE CONVOLUTION FDTD METHOD FOR SPACE-VARYING PLASMA

X. Ai, Y.-P. Han, C.-Y. Li, and X.-W. Shi

1	Introduction	83
2	Methodology	84
3	Numerical Results	86
4	Conclusion	91

THE MICROSTRUCTURE DESIGN OPTIMIZATION OF NEGATIVE INDEX METAMATERIALS USING GENETIC ALGORITHM

Y. X. Zhao, F. Chen, H. Y. Chen, N. Li, Q. Shen, and L. M. Zhang

1	Introduction	96
2	GA-based Design and Optimization Model	97
3	Design Results and Discussion	101
4	Conclusion	105

COMBINED ESPRIT-ROOTMUSIC FOR DOA-DOD ESTIMATION IN POLARIMETRIC BISTATIC MIMO RADAR

M. L. Bencheikh and Y. Wang

1	Introduction	109
2	Signal Model	110
3	Polarimetric Combined ESPRIT-RootMUSIC	112
4	Simulation Results	114
5	Conclusion	116

SELECTIVE SUPPRESSION OF ELECTROMAGNETIC MODES IN A RECTANGULAR WAVEGUIDE BY USING DISTRIBUTED WALL LOSSES

C.-Q. Jiao

1	Introduction	119
2	Wall Current Distribution in a Rectangular Waveguide	120
3	Analytic Formula of Propagation Constant	121

4	Results and Discussions	123
5	Conclusion	126

NUMERICAL STUDY OF THE THERMAL EFFECTS INDUCED BY A RFID ANTENNA IN VIALS OF BLOOD PLASMA

R. Otin

1	Introduction	129
2	Description of the Problem	130
3	Numerical Model	131
4	Results	134
5	Conclusions	137

TRIPLE-BAND OPEN L-SLOT ANTENNA WITH A SLIT AND A STRIP FOR WLAN/WIMAX APPLICATIONS

K. Song, Y.-Z. Yin, and B. Chen

1	Introduction	139
2	Antenna Design	140
3	Results and Discussion	141
4	Conclusion	145

THREE SECTIONS CIRCULAR WAVEGUIDE APERTURE ANTENNA WITH CONICAL BEAM

S. Qi, W. Wu, and D. Fang

1	Introduction	147
2	Description of the Antenna Configuration	148
3	Mode-Matching Formulation	150
4	Simulated and Measured Results	152
5	Conclusion	153

NEGATIVE REFRACTIVE INDEX BEHAVIOR THROUGH MAGNETO-ELECTRIC COUPLING IN SPLIT RING RESONATORS

Z. Djeffal, H. Talleb, D. Lautru, and V. Fouad Hanna

1	Introduction	155
2	Propagation in Bianisotropic Medium	156
3	Electromagnetic Simulation Validation	158
4	Experimental Confirmation	160
5	Conclusion	161

EFFECTIVE PERMITTIVITY TENSOR FOR A METAL-DIELECTRIC SUPERLATTICE

*B. Zenteno-Mateo, V. Cerdán-Ramírez, B. Flores-Desirena
M. P. Sampedro, E. Juárez-Ruiz, and F. Pérez-Rodríguez*

1	Introduction	166
2	Theoretical Formalism	167
3	Discussion	169
4	Conclusion	173

REALIZATION OF DUAL-BAND FILTER CHARACTERISTICS BY BOX CONFIGURATIONS

W. M. Fathelbaband and M. J. Almalkawi

1	Introduction	175
2	Design of Box Configuration Dual-band Filter	176
3	A Comblin Filter Implementation	179
4	Conclusion	179

STUDY OF FOCUSING OF A CYLINDRICAL INTERFACE OF CHIRAL NIHILITY-CHIRAL NIHILITY MEDIA USING MASLOV'S METHOD

M. Taj, A. Naqvi, A. A. Syed, and Q. A. Naqvi

1	Introduction	181
2	Planar Interface of Two Chiral Media	182
3	Cylindrical Interface of Two Chiral Nihility Media	186
4	Conclusions	190

A COMPACT UWB BANDPASS FILTER WITH IMPROVED OUT-OF-BAND PERFORMANCE USING MODIFIED COUPLING STRUCTURE

X.-K. Tian and Q.-X. Chu

1	Introduction	191
2	Filter Design	192
3	Simulated and Measured Results	194
4	Conclusion	195